











- NO. NOTES
1. WIRING LEGEND:  
DISTANT TERMINATING AREA  
DISTANT TERMINATING DESIGNATION  
A-I-M-BL  
WIRE COLOR CODE
2. COLOR CODE:  
BK-BLACK BR-BROWN  
R-RED O-ORANGE  
Y-YELLOW G-GREEN  
BL-BLUE P-PURPLE  
W-WHITE S-SLATE
3. UNIT WIRED FOR 115 VOLTS, 50 TO 60 CYCLE - AC POWER INPUT ONLY.
4. PLUGS VIEWED FROM SOLDERED TERMINAL ENDS.
5. CIRCUITS SHOWN FOR .060 AMP. NEUTRAL SIGNAL LINE OPERATION. FOR .020 AMP. OPERATION REMOVE AND ADD CONNECTIONS AS TABULATED BELOW:
- | SIGNAL LINE | CONNECTION REMOVED | CONNECTIONS ADDED |
|-------------|--------------------|-------------------|
| CURRENT     | J ① 1              | J ① 3-J ① 4       |
| .020 AMP.   | J ① 2              | J ① 3-J ① 4       |
6. RECTIFIER SHOWN CONTROLLED BY POWER SWITCH. FOR CONTINUOUS OPERATION, REMOVE LEAD L-2-BK FROM TERMINAL E-2 AND CONNECT TO TERMINAL E-1.
7. LINE SHUNT RELAY SHOWN CONTROLLED BY POWER SWITCH.  
A. FOR KEYBOARD OPERATION  
TERMINAL 13 MAY BE CONNECTED TO EITHER TERMINAL C-9, C-10, C-11 OR C15 TO OBTAIN DESIRED SHUNTING OF THE SIGNAL LINE CIRCUIT.  
B. FOR RECEIVING ONLY BASES  
CONNECT C-10 TO C-11.
8. THE SPARE LEADS FROM THE KEYBOARD AND TYPING UNIT CONNECTOR PLUGS ARE TERMINATED IN THE RIGHT AND LEFT ENDS OF THE ELECTRICAL SERVICE UNIT RESPECTIVELY.
9. FOR ACCESSORY GROUP 134 SPLICE AND TAPE SPARE LEADS AS FOLLOWS: F-9-W-Y TO R-6-W-Y, F-10-W-R TO R-9-W-R, F-11-W-BK TO R-11-W-BK, AND F-15-W-O TO R-10-W-O CONNECT C-10 TO C-11.
10. FOR SCHEMATIC WIRING DIAGRAM SEE 2879WD.



NOTE:  
REVISION INFORMATION MUST ALSO  
BE REFLECTED ON THE ISSUE  
CONTROL RECORD, WHICH IS PART  
OF THIS W.D.

2878WD

REVISIONS

ISSUE	DATE	AUTH. NO.
(A) 2	9-15-54	28-4472
3	1-26-55	28-4936
4	2-28-55	28-5008
5	3-4-55	28-5047
6	3-30-55	28-5192
7	5-8-57	28-7615
8	3-16-61	68761-N
9	12-7-61	71860
10	3-28-62	69766-10
11	4-7-66	90222

RTTY ELECTRONICS  
TELETYPE=Sales-Service-Parts  
PO Box 20101 El Sobrante, Ca.  
94820. (510)222-3102  
mr\_rtty@pacbell.net

SEE ISSUE CONTROL RECORD FOR  
COMPLETE LIST OF SHEETS  
COMPRISING THIS W.D.

SHEET 1

ACTUAL  
WIRING DIAGRAM  
FOR  
MODEL 28  
ELECTRICAL  
SERVICE UNIT  
LESU7/134, 151

APPROVALS

D AND R  
E OF M

E-NUMBER

PROD. NO. 2878WD

DATE 2-20-54

P.D. FILE NO. 2-30.65.156A

DRAWN H.K.G.

CHKD.

ENGD. R.H.K.

APPD.

TELETYPE  
CORPORATION

2878WD








SEE SHEET 1 FOR NOTES

NOTE:  
REVISION INFORMATION MUST  
BE REFLECTED ON THE ISSUE  
CONTROL RECORD, WHICH IS PART  
OF THIS W.D.

2878WD

REVISIONS

ISSUE	DATE	AUTH. NO.
(A) 2	9-15-54	28-4472
3	1-26-55	28-4826
4	2-28-55	28-5008
5	3-4-55	28-5047
6	3-30-55	28-5192
7	5-8-57	28-7615
8	3-16-61	68761-4
9	12-7-61	71860
10	3-28-62	69768-10
11	4-7-66	90222



SEE ISSUE CONTROL RECORD FOR  
COMPLETE LIST OF SHEETS  
COMPRISING THIS W.D.

SHEET 2

ACTUAL  
WIRING DIAGRAM  
FOR  
MODEL 28  
ELECTRICAL  
SERVICE UNIT  
LESU7/134, 151

APPROVALS

D AND R E OF M

E-NUMBER

PROD. NO. 2878WD

DATE 2/20/64

P.D. FILE NO. 2-30.65.156A

DRAWN H.K.G.

CHKD.

ENSD. R.H.K.

APPD.

TELETYPE  
CORPORATION

2878WD